









CONCEALED CISTERNS & FLUSH PLATES

Innovative water solutions provider

Fluidmaster is a global supplier of an extensive range of sanitary solutions, actively sold under the Fluidmaster®, LIV®, SCHWAB® and WISA® brands

The enduring strength of Fluidmaster is based upon our never ending focus on customer satisfaction and innovation in all that we do.

We believe this focused and strategic approach to global growth is the best way to expand our footprint on a market by market basis as well as to support our manufacturing, distribution and business partners worldwide.

Through our recognized strong brands, now enhanced with Fluidmaster flushing technology, we provide a complete range of high-quality concealed and exposed cisterns, smart sanitary solutions, flush plates and contact-less flushing systems, urinal, washbasin and bidet frames, shower drains, discharge valves and traps, sanitary ceramics, toilet seats, fill and flush valves, connecting elements, spare parts as well as many other accessories for bathrooms or sanitary environment.

Discover the world of flushing technology solutions.














Concealed cisterns and flush plates



NexaFlo	14	
TegraFlo	32	
SimplaFlo	48	
PrimaFlo	64	
/ivaFlo	70	

Why Fluidmaster concealed cisterns?



Enhancing your bathroom experience

Experience and Innovation: The power of our heritage

At Fluidmaster, we proudly combine global reach with European craftsmanship. We are not just a brand; we are the culmination of centuries of innovation, craftsmanship, and a relentless pursuit of excellence. Our brands have thrived on the global stage, drawing inspiration from diverse cultures and markets. This fusion of perspectives allows us to create concealed cisterns that are both technologically advanced and aesthetically captivating.

Our commitment to research and development is unwavering. We harness the collective knowledge and expertise of our brands to bring you the very best concealed cisterns on the market. Each product reflects our dedication to innovation, reliability, and quality, setting new standards for what you can expect from your bathroom.

Opt for Fluidmaster's concealed cisterns, where timeless design meets cutting-edge technology. Benefit from a fusion of global and European craftsmanship, all backed by our commitment to excellence in performance. Because your bathroom should settle for nothing less.



Why Fluidmaster concealed cisterns?

Keeping up with trends

For decades, Fluidmaster has been at the forefront of innovation, setting the trends in bathroom design and functionality. By choosing us, you're not just keeping up with the times; you're staying one step ahead.

Aesthetic brilliance

Fluidmaster concealed cisterns and flush plates don't just blend into your bathroom; they elevate it. Our products marry style and functionality seamlessly, turning your bathroom into a work of art.

Space optimization

In today's world, space is a luxury. Fluidmaster concealed cisterns save precious room in your bathroom, making it feel more open and inviting. Small spaces can now have a big impact.

Hygiene at its best

Say goodbye to dusty, bacteria-prone cisterns. With Fluidmaster, hygiene takes center stage. Our concealed cisterns are designed to eliminate dust and bacteria, ensuring a clean, healthy environment for you and your family.

Saving resources

Fluidmaster isn't just about aesthetics; it's about efficiency too. Our cisterns come with money-saving flush settings, helping you reduce water consumption and lower your utility bills, all while contributing to a greener planet.

Peaceful serenity

Imagine a bathroom where the flush doesn't disrupt your peace. Fluidmaster's concealed cisterns are expertly designed to reduce flush noise, allowing you to enjoy tranquillity in every moment.

Join the revolution in style and efficiency

Effortless maintenance

Cleaning and maintaining your bathroom shouldn't be a chore. Fluidmaster cisterns make it easy. Say goodbye to hard-to-reach spots and hello to hassle-free upkeep.

Endless design possibilities

With a wide range of décor-matching flush plates, Fluidmaster offers endless opportunities to tailor your bathroom to your unique taste. Your dream bathroom is within reach.

Increasing property value

Did you know that choosing Fluidmaster could potentially increase the resale value of your property? Make a wise investment in your home's future with us.

Built to last

Our cisterns are not just functional; they're durable. With the ability to hold up to 400 kg of weight, you can trust in their longevity and reliability.

A safe investment

Fluidmaster concealed cisterns and plates aren't just a short-term upgrade; they're a long-term investment. We offer a 10-year guarantee and a 25-year availability of original spare parts, ensuring peace of mind for years to come.



Our passion for excelence



150 years of innovations

A number of innovations, which are the foundation for quality and reliability of products and services, are the result of experience and knowledge collected through over 150-years of tradition in developing flushing technology solutions.



Water is our passion

Water – the source of life and our inspiration. Fluidmaster strives to develop solutions that are kind to people while keeping in mind the quality of life and responsibility towards the natural environment.



Worldwide presence

Through our recognized strong brands we provide a complete range of high-quality products all around the globe.
Chosen by plumbers, architects, ceramic manufacturers and consumers around the world, we are known for our performance and technology, quality, durability, ease of installation, and innovation.



Customer satisfaction

Customer satisfaction is our never ending focus in everything we do. And we do it with passion.



Engineered in the Netherlands

Meticulously crafted with precision and fueled by Dutch ingenuity, these concealed cisterns seamlessly marry efficiency, space optimization, and refined aesthetics. Elevate your bathroom ambiance to new heights, as our Dutch-engineered concealed cisterns redefine the standards of modern sophistication.



German quality standards

Crafted with the utmost attention to detail, our concealed cisterns not only elevate aesthetics but also embody the reliability and durability synonymous with German quality standards.





















Flush plates



Harmony. The ideal alignment.

This is the universal aspiration we seek to attain across various dimensions, whether within ourselves, in our surroundings, or even in the bathroom.

Contemporary flush plates, available in various colors, shapes, and materials, offer boundless opportunities for creating unique combinations within bathroom settings, seamlessly blending functionality and design in your spaces.

They effortlessly integrate with modern bathroom aesthetics and infuse a sense of freshness and youthful vibrancy into traditionally decorated bathrooms.

Harmony of colors, shapes and comfort

High-quality plastic

that withstands the test of time and environmental factors. These plates will maintain their color even after years of use, continuing to be an attractive feature in your bathroom.

Tempered glass and wood

in various color options, enhancing your bathroom with a touch of elegance and sophisticated design.

Stainless steel

available in different configurations, is also well-suited for public restroom facilities and is frequently paired with contact-less, infrared technology for enhanced hygiene during flushing.

AVAILABLE IN...

Zinc alloys,

known for their strength and durability, are offered in white, matte chrome, and glossy chrome finishes.

Aluminum.

a lightweight metal with outstanding mechanical and corrosion-resistant properties, available in both light and dark variants.


Explore the selection of flush plates and select the one that's right for you.

Flush plates for concealed cisterns

	WC FRAME	WC HALF FRAME	FRAMELESS CISTERN	Balance IR Tech	Harmony	Tonic IR Tech	Elixir	Vivacity	
NexaFlo				•	•				
TegraFlo						•	•		
SimplaFlo								•	
PrimaFlo			and a						
VivaFlo									


Page 20 26 40 42 54

Connection table (cisterns / flush plates)



56 58 60 62 74 76 78

NexaFlo - The modern marvel





NexaFlo brings elegance, versatility, and advanced technology to your bathroom space.

SKU CODE: 2040F-0001-30 **EAN CODE:** 8681282661022

WC Frame NexaFlo



Installation method

- Installation in prefabricated walls or studded walls
- Pre-wall installation in dry walls
- Universal installation into solid walls

Properties

- Self-supporting, green powder coated frame, square profile 40x40 mm
- 400 kg load tested frame
- Enables installation of wall hung WC pans with dimension of 180 mm or 230 mm
- Pre-assembled wall brackets
- Adjustable supporting feet (0-200 mm)
- Pre-assembled concealed cistern, with front electronic or mechanical actuation
- Installed factory pre-set dual flush valve, large flush 4 L, small flush 2 L
- Concealed cistern is fully insulated against condensation
- Water supply connection possibility on the four positions
- Maintenance service work is possible without using any tools

Special feature

- Quiet mechanical fill valve Fluidmaster 747 Series (Noise class 1 ISO 3822)
- Fill valve flow pressure 0.2-10 bar
- Depth adjustable drain elbow (+/-20 mm)
- Corner installation is possible with additional wall bracket kit (has to be ordered separately)


Product contains

- Concealed cistern is equipped with pre-installed stop valve top middle
- Water supply connection G 1/2 with flexible hose
- PE-HD drain elbow Ø 90/90 mm with seal
- Eccentric PE-HD adapter Ø 90/110 mm with seal
- Installation manual
- Complete installation and fixing material

Dimension of the product

• Width 380 mm, height 1180 mm, depth 140 mm

- Packaging/Pallet: 1/28 pcs
- Warranty: more information in General terms and conditions







Balance IR Tech

Harmony

SKU CODE: 2040F-0011-30 **EAN CODE:** 8681282661404

WC Frame NexaFlo SSF



Installation method

- Installation in prefabricated walls or studded walls
- Pre-wall installation in dry walls
- Universal installation into solid walls

Properties

- Self-supporting, double, green powder coated frame, square profile 40x40 mm
- 400 kg load tested frame
- Enables installation of wall hung WC pans with dimension of 180 mm or 230 mm
- Pre-assembled wall brackets
- Adjustable supporting feet (0-200 mm)
- Pre-assembled concealed cistern, with front electronic or mechanical actuation
- Installed factory pre-set dual flush valve, large flush 4 L, small flush 2 L
- Concealed cistern is fully insulated against condensation
- Water supply connection possibility on the four positions
- Maintenance service work is possible without using any tools

Special feature

- Quiet mechanical fill valve Fluidmaster 747 Series (Noise class 1 ISO 3822)
- Fill valve flow pressure 0,2-10 bar
- Depth adjustable drain elbow (+/-20 mm)


Product contains

- Concealed cistern is equipped with pre-installed stop valve top middle
- Water supply connection G 1/2 with flexible hose
- PE-HD drain elbow Ø 90/90 mm with seal
- Eccentric PE-HD adapter Ø 90/110 mm with seal
- Installation manual
- Complete installation and fixing material

Dimension of the product

• Width 380 mm, height 1180 mm, depth 180 mm

- Packaging/Pallet: 1/20 pcs
- Warranty: more information in General terms and conditions







Balance IR Tech

Harmony

SKU CODE: 2040H-0012-30 **EAN CODE:** 8681282661381

WC Half Frame NexaFlo



Installation method

• Installation on or in solid walls

Properties

- Galvanized metal element
- Enables installation of wall hung WC pans with dimension of 180 mm or 230 mm
- Pre-assembled concealed cistern, with front electronic or mechanical actuation
- Installed factory pre-set dual flush valve, large flush 4 L, small flush 2 L
- Concealed cistern is fully insulated against condensation
- Water supply connection possibility on the four positions
- Maintenance service work is possible without using any tools

Special feature

- Quiet mechanical fill valve Fluidmaster 747 Series (Noise class 1 ISO 3822)
- Fill valve flow pressure 0,2-10 bar


Product contains

- Concealed cistern is equipped with pre-installed stop valve top middle
- Water supply connection G 1/2 with flexible hose
- PE-HD drain elbow Ø 90/90 mm with seal
- Eccentric PE-HD adapter Ø 90/110 mm with seal
- Installation manual
- · Complete installation and fixing material

Dimension of the product

• Width 380 mm, height 785 mm, depth 140 mm

- Packaging/Pallet: 1/24 pcs
- Warranty: more information in General terms and conditions







Balance IR Tech

Harmony

Wet wall installation element for floor standing WC pan

SKU CODE: 2040N-0013-30 **EAN CODE:** 8681282661398

Frameless Cistern NexaFlo



Installation method

- Installation into solid walls
- Pre-wall installation

Properties

- Pre-assembled concealed cistern, with front electronic or mechanical actuation
- Installed factory pre-set dual flush valve, large flush 4 L, small flush 2 L
- Concealed cistern is fully insulated against condensation.
- Water supply connection possibility on the four positions
- Maintenance service work is possible without using any tools

Special feature

- Quiet mechanical fill valve Fluidmaster 747 Series (Noise class 1 ISO 3822)
- Fill valve flow pressure 0,2-10 bar


Product contains


- Concealed cistern is equipped with pre-installed stop valve top middle
- Water supply connection G 1/2 with flexible hose
- Flush pipe L=300 mm
- Masonry / plaster net
- Installation manual
- Complete installation and fixing material

Dimension of the product

• Width 380 mm, height 802 mm, depth 145 mm

- Packaging/Pallet: 1/19 pcs
- Warranty: more information in General terms and conditions









Balance IR Tech

Harmony

Balance IR Tech



Installation method

• For installation on concealed flushing cisterns

Properties

- Hygienic non-contact flushing with infrared technology
- Flush plates are produced from high quality plastic material
- Dual flush (large flush/small flush)
- For concealed cisterns NexaFlo

Special feature

• Easy installation and service

Product contains


- Instruction manual
- Complete installation and fixing material

Dimension of the product

• Width 160 mm, height 160 mm

Additional information

- Packaging/Pallet: 1/20 pcs
- Warranty: more information in General terms and conditions





SKU: 2590Y-0024-30



Balance IR Tech



Installation method

• For installation on concealed flushing cisterns

Properties

- Hygienic non-contact flushing with infrared technology
- Flush plates are produced from tempered glass
- Dual flush (large flush/small flush)
- For concealed cisterns NexaFlo

Special feature

• Easy installation and service

Product contains


- Instruction manual
- Complete installation and fixing material

Dimension of the product

• Width 160 mm, height 160 mm

Additional information

- Packaging/Pallet: 1/20 pcs
- Warranty: more information in General terms and conditions





SKU: 2590Y-0025-30



Glass black SKU: 2590Y-0026-30



Balance IR Tech



Installation method

• For installation on concealed flushing cisterns

Properties

- Hygienic non-contact flushing with infrared technology
- Flush plates are produced from stainless steel
- Dual flush (large flush/small flush)
- For concealed cisterns NexaFlo

Special feature

• Easy installation and service

Product contains


- Instruction manual
- Complete installation and fixing material

Dimension of the product

• Width 160 mm, height 160 mm

Additional information

- Packaging/Pallet: 1/20 pcs
- Warranty: more information in General terms and conditions





Stainless steel SKU: 2590Y-0027-30



Harmony



Installation method

• For installation on concealed flushing cisterns

Properties

- Flush plates are produced from high quality plastic material
- Dual flush (large flush/small flush)
- For concealed cisterns NexaFlo

Special feature

• Easy installation and service


Product contains

- Instruction manual
- Complete installation and fixing material

Dimension of the product

• Width 160 mm, height 160 mm

- Packaging/Pallet: 1/20 pcs
- Warranty: more information in General terms and conditions





Bright chrome SKU: 2590X-0006-30




Matt chrome SKU: 2590X-0028-30



SKU: 2590X-0029-30



Harmony



Installation method

• For installation on concealed flushing cisterns

Properties

- Flush plates are produced from aluminium
- Dual flush (large flush/small flush)
- For concealed cisterns NexaFlo

Special feature

• Easy installation and service

Product contains


- Instruction manual
- Complete installation and fixing material

Dimension of the product

• Width 160 mm, height 160 mm

Additional information

- Packaging/Pallet: 1/20 pcs
- Warranty: more information in General terms and conditions







Aluminium white SKU: 2590X-0030-30



Aluminium black SKU: 2590X-0031-30



Harmony



Installation method

• For installation on concealed flushing cisterns

Properties

- Flush plates are produced from stainless steel
- Dual flush (large flush/small flush)
- For concealed cisterns NexaFlo

Special feature

• Easy installation and service

Product contains


- Instruction manual
- Complete installation and fixing material

Dimension of the product

• Width 160 mm, height 160 mm


Additional information

- Packaging/Pallet: 1/20 pcs
- Warranty: more information in General terms and conditions





Stainless steel SKU: 2590X-0032-30



TegraFlo – Space-saving excellence





Low model,
perfect for
smaller bathroom
environments (fits
under windows)

Two flush
possibilities
(mechanic,
electronic)

Varius
product
executions
for different
construction
requirements

2

Hygiene option with cleaning tablets

4

App-controlled flushing possible

6

Advanced technology integrated



TegraFlo combines space-saving design with smart hygiene features, ensuring a luxurious bathroom experience.

SKU CODE: 2041F-0002-30 **EAN CODE:** 8681282661039

WC Frame TegraFlo 83 cm Top/Front



Installation method

- Installation in prefabricated walls
- Pre-wall installation in dry walls
- Universal installation into solid walls

Properties

- Self-supporting, green powder coated frame, square profile 40x40 mm
- 400 kg load tested frame
- Enables installation of wall hung WC pans with dimension of 180 mm or 230 mm
- Pre-assembled wall brackets
- Adjustable supporting feet (0-200 mm)
- Pre-assembled concealed cistern, with top or front actuation
- Actuation method mechanical (top/front)
- Installed factory pre-set dual flush valve, large flush 4 L, small flush 2 L
- Concealed cistern is fully insulated against condensation
- Water supply connection possibility on the two positions
- Maintenance service work is possible without using any tools

Special feature

- Quiet mechanical fill valve Fluidmaster 747 Series (Noise class 1 ISO 3822)
- Fill valve flow pressure 0.2-10 bar
- Depth adjustable drain elbow (+/-20 mm)
- Corner installation is possible with additional wall bracket kit (has to be ordered separately)
- Possible to install Frescoblue Hygene + kit (has to be ordered separately)


Product contains

- Concealed cistern is equipped with pre-installed stop valve left side
- Water supply connection G 1/2 with flexible hose
- PE-HD drain elbow Ø 90/90 mm with seal
- Eccentric PE-HD adapter Ø 90/110 mm with seal
- Installation manual
- Complete installation and fixing material

Dimension of the product

• Height 830 mm, width 380 mm, depth 140 mm

- Packaging/Pallet: 1/16 pcs
- Warranty: more information in General terms and conditions





Elixir

SKU CODE: 2041F-0014-30 **EAN CODE:** 8681282661435

WC Frame TegraFlo 98 cm Top/Front



Installation method

- Installation in prefabricated walls
- Pre-wall installation in dry walls
- Universal installation into solid walls

Properties

- Self-supporting, green powder coated frame, square profile 40x40 mm
- 400 kg load tested frame
- Enables installation of wall hung WC pans with dimension of 180 mm or 230 mm
- Pre-assembled wall brackets
- Adjustable supporting feet (0-200 mm)
- Pre-assembled concealed cistern, with top or front actuation
- Two different actuation methods electronic (front) and mechanical (top/front)
- Installed factory pre-set dual flush valve, large flush 4 L, small flush 2 L
- Concealed cistern is fully insulated against condensation
- Water supply connection possibility on the two positions
- Maintenance service work is possible without using any tools

Special feature

- Quiet mechanical fill valve Fluidmaster 747 Series (Noise class 1 ISO 3822)
- Fill valve flow pressure 0,2-10 bar
- Depth adjustable drain elbow (+/-20 mm)
- Corner installation is possible with additional wall bracket kit (has to be ordered separately)
- Possible to install Frescoblue Hygene + kit (has to be ordered separately)


Product contains

- Concealed cistern is equipped with pre-installed stop valve left side
- Water supply connection G 1/2 with flexible hose
- PE-HD drain elbow Ø 90/90 mm with seal
- Eccentric PE-HD adapter Ø 90/110 mm with seal
- Installation manual
- Complete installation and fixing material

Dimension of the product

• Height 980 mm, width 380 mm, depth 140 mm

- Packaging/Pallet: 1/20 pcs
- Warranty: more information in General terms and conditions







Tonic IR Tech

Flixir

SKU CODE: 2041F-0015-30 **EAN CODE:** 8681282661411

WC Frame TegraFlo 112 cm



Installation method

- Installation in prefabricated walls
- Pre-wall installation in dry walls
- Universal installation into solid walls

Properties

- Self-supporting, green powder coated frame, square profile 40x40 mm
- 400 kg load tested frame
- Enables installation of wall hung WC pans with dimension of 180 mm or 230 mm
- Pre-assembled wall brackets
- Adjustable supporting feet (0-200 mm)
- Pre-assembled concealed cistern, front actuation
- Two different actuation methods electronic and mechanical
- Installed factory pre-set dual flush valve, large flush 4 L, small flush 2 L
- Concealed cistern is fully insulated against condensation
- Water supply connection possibility on the two positions
- Maintenance service work is possible without using any tools

Special feature

- Quiet mechanical fill valve Fluidmaster 747 Series (Noise class 1 ISO 3822)
- Fill valve flow pressure 0.2-10 bar
- Depth adjustable drain elbow (+/-20 mm)
- Corner installation is possible with additional wall bracket kit (has to be ordered separately)
- Possible to install Frescoblue Hygene + kit (has to be ordered separately)


Product contains

- Concealed cistern is equipped with pre-installed stop valve left side
- Water supply connection G 1/2 with flexible hose
- PE-HD drain elbow Ø 90/90 mm with seal
- Eccentric PE-HD adapter Ø 90/110 mm with seal
- Installation manual
- Complete installation and fixing material

Dimension of the product

• Height 1120 mm, width 380 mm, depth 140 mm

- Packaging/Pallet: 1/20 pcs
- Warranty: more information in General terms and conditions







Tonic IR Tech

Elixir

SKU CODE: 2041F-0016-30 **EAN CODE:** 8681282661428

WC Frame TegraFlo 118 cm



Installation method

- Installation in prefabricated walls
- Pre-wall installation in dry walls
- Universal installation into solid walls

Properties

- Self-supporting, green powder coated frame, square profile 40x40 mm
- 400 kg load tested frame
- Enables installation of wall hung WC pans with dimension of 180 mm or 230 mm
- Pre-assembled wall brackets
- Adjustable supporting feet (0-200 mm)
- Pre-assembled concealed cistern, front actuation
- Two different actuation methods electronic and mechanical
- Installed factory pre-set dual flush valve, large flush 4 L, small flush 2 L
- Concealed cistern is fully insulated against condensation
- Water supply connection possibility on the two positions
- Maintenance service work is possible without using any tools

Special feature

- Quiet mechanical fill valve Fluidmaster 747 Series (Noise class 1 ISO 3822)
- Fill valve flow pressure 0.2-10 bar
- Depth adjustable drain elbow (+/-20 mm)
- Corner installation is possible with additional wall bracket kit (has to be ordered separately)
- Possible to install Frescoblue Hygene + kit (has to be ordered separately)


Product contains

- Concealed cistern is equipped with pre-installed stop valve left side
- Water supply connection G 1/2 with flexible hose
- PE-HD drain elbow Ø 90/90 mm with seal
- Eccentric PE-HD adapter Ø 90/110 mm with seal
- Installation manual
- Complete installation and fixing material


Dimension of the product

• Height 1180 mm, width 380 mm, depth 140 mm

- Packaging/Pallet: 1/28 pcs
- Warranty: more information in General terms and conditions







Tonic IR Tech

Flixir

Wet wall installation element for floor standing WC pan

SKU CODE: 2041N-0017-30 **EAN CODE:** 8681282661442

Frameless Cistern TegraFlo Top/Front



Installation method

- Installation in prefabricated walls
- Pre-wall installation in dry walls
- Universal installation into solid walls

Properties

- Self-supporting, green powder coated frame, square profile 40x40 mm
- 400 kg load tested frame
- Enables installation of wall hung WC pans with dimension of 180 mm or 230 mm
- Pre-assembled wall brackets
- Adjustable supporting feet (0-200 mm)
- Pre-assembled concealed cistern, with top or front actuation
- Actuation method mechanical (top/front)
- Installed factory pre-set dual flush valve, large flush 4 L, small flush 2 L
- Concealed cistern is fully insulated against condensation
- Water supply connection possibility on the two positions
- Maintenance service work is possible without using any tools

Special feature

- Quiet mechanical fill valve Fluidmaster 747 Series (Noise class 1 ISO 3822)
- Fill valve flow pressure 0.2-10 bar
- Depth adjustable drain elbow (+/-20 mm)
- Corner installation is possible with additional wall bracket kit (has to be ordered separately)
- Possible to install Frescoblue Hygene + kit (has to be ordered separately)


Product contains

- Concealed cistern is equipped with pre-installed stop valve left side
- Water supply connection G 1/2 with flexible hose
- PE-HD drain elbow Ø 90/90 mm with seal
- Eccentric PE-HD adapter Ø 90/110 mm with seal
- Installation manual
- Complete installation and fixing material

Dimension of the product

• Height 1120 mm, width 380 mm, depth 140 mm

- Packaging/Pallet: 1/20 pcs
- Warranty: more information in General terms and conditions





Elixir



Tonic IR Tech



Installation method

• For installation on concealed flushing cisterns

Properties

- Hygienic non-contact flushing with infrared technology
- Flush plate is produced from high quality plastic material
- Dual flush (large flush/small flush)
- For concealed cisterns TegraFlo

Special feature

• Easy installation and service

Product contains

- Instruction manual
- Complete installation and fixing material

Dimension of the product

• Width 160 mm, height 160 mm


Additional information

- Packaging/Pallet: 1/20 pcs
- Warranty: more information in General terms and conditions






SKU: 2590Y-0041-30







Installation method

• For installation on concealed flushing cisterns

Properties

- Flush plates are produced from high quality plastic material
- Dual flush (large flush/small flush)
- For concealed cisterns TegraFlo

Special feature

- Easy installation and service
- For top or front actuation
- Possible to install Frescoblue Hygene + kit (has to be ordered separately)


Product contains

- Instruction manual
- Complete installation and fixing material

Dimension of the product

• Width 208 mm, height 111 mm

- Packaging/Pallet: 1/20 pcs
- Warranty: more information in General terms and conditions









Brushed bronze



Brushed black titanium SKU: 2590X-0007-30 SKU: 2590X-0033-30 SKU: 2590X-0034-30 SKU: 2590X-0035-30 SKU: 2590X-0036-30 SKU: 2590X-0037-30




Brushed copper



Matt black



Matt chrome







Installation method

• For installation on concealed flushing cisterns

Properties

- Flush plates are produced from tempered glass
- Dual flush (large flush/small flush)
- For concealed cisterns TegraFlo

Special feature

- Easy installation and service
- For top or front actuation
- Possible to install Frescoblue Hygene + kit (has to be ordered separately)


Product contains

- Instruction manual
- Complete installation and fixing material

Dimension of the product

• Width 208 mm, height 111 mm

- Packaging/Pallet: 1/20 pcs
- Warranty: more information in General terms and conditions















Installation method

• For installation on concealed flushing cisterns

Properties

- Flush plates are produced from stainless steel
- Dual flush (large flush/small flush)
- For concealed cisterns TegraFlo

Special feature

- Easy installation and service
- For top or front actuation
- Possible to install Frescoblue Hygene+ kit (has to be ordered separately)

Product contains


- Instruction manual
- Complete installation and fixing material

Dimension of the product

• Width 208 mm, height 111 mm

Additional information

- Packaging/Pallet: 1/20 pcs
- Warranty: more information in General terms and conditions






Stainless steel SKU: 2590X-0040-30



SimplaFlo – The universal solution





SimplaFlo is the versatile, user-friendly solution for all bathroom spaces.

SKU CODE: 2010F-0021-30 **EAN CODE:** 3838912065865

WC Frame SimplaFlo DWC



Installation method

- Installation in prefabricated walls
- Pre-wall installation in dry walls
- Universal installation into solid walls

Properties

- Self-supporting, green powder coated frame, square profile 40x40 mm
- 400 kg load tested frame
- Enables installation of wall hung WC pans with dimension of 180 mm or 230 mm
- Pre-assembled wall brackets
- Adjustable supporting feet (0-200 mm)
- Pre-assembled concealed cistern, with front mechanical actuation
- Installed factory pre-set dual flush valve, large flush 4 L, small flush 2 L
- Concealed cistern is fully insulated against condensation
- Water supply connection possibility on the four positions
- Maintenance service work is possible without using any tools

Special feature

- Prepared for connection of the shower WC pan
- Flush pipe with connection Ø 50 mm for air extraction system
- Supporting feet's with rotating plates, equipped with brake for easier installation
- Quiet mechanical fill valve
- Fill valve flow pressure 0,1-10 bar
- Depth adjustable drain elbow (+/-20 mm)


Product contains

- Concealed cistern equipped with pre-installed stop valve top right
- Water supply connection G 1/2 with flexible hose
- Pipe for water supply connection of the shower WC pan
- Electrical box loose
- PE-HD drain elbow Ø 90/90 mm with seal
- Eccentric PE-HD adapter Ø 90/110 mm with seal
- Instruction manual
- Complete installation and fixing material

Dimension of the product

• Depth 120 mm, width 500 mm, height 1160 mm

- Packaging/Pallet: 1/12 pcs
- Warranty: more information in General terms and conditions









Vivacity

Enthuse

Zeal





Verve

Flourish

SKU CODE: 2010F-0005-30 **EAN CODE:** 383891206568

WC Frame SimplaFlo



Installation method

- Installation in prefabricated walls
- Pre-wall installation in dry walls
- Universal installation into solid walls

Properties

- Self-supporting, green powder coated frame, square profile 40x40 mm
- 400 kg load tested frame
- Enables installation of wall hung WC pans with dimension of 180 mm or 230 mm
- Pre-assembled wall brackets
- Adjustable supporting feet (0-190 mm)
- Pre-assembled concealed cistern, with front mechanical actuation
- Installed factory pre-set dual flush valve, large flush 4 L, small flush 2 L
- Concealed cistern is fully insulated against condensation
- Water supply connection possibility on the four positions
- Maintenance service work is possible without using any tools

Special feature

- Quiet mechanical fill valve
- Fill valve flow pressure 0.1-10 bar
- Depth adjustable drain elbow (+/-20 mm)
- Corner installation is possible with pre-assembled wall brackets


Product contains

- Concealed cistern equipped with pre-installed stop valve top middle
- Water supply connection G 1/2 with flexible hose
- PE-HD drain elbow Ø 90/90 mm with seal
- Eccentric PE-HD adapter Ø 90/110 mm with seal
- Instruction manual
- · Complete installation and fixing material

Dimension of the product

• Depth 120 mm, width 500 mm, height 1150 mm

- Packaging/Pallet: 1/12 pcs
- Warranty: more information in General terms and conditions









Vivacity

Enthuse

Zeal





Verve

Flourish

SKU CODE: 2010H-0022-30 **EAN CODE:** 3838912065872

WC Half Frame SimplaFlo



Installation method

• Installation on or in solid walls

Properties

- Galvanized metal element,
- Enables installation of wall hung WC pans with dimension of 180 mm or 230 mm
- Pre-assembled concealed cistern, with front mechanical actuation
- Installed factory pre-set dual flush valve, large flush 4 L, small flush 2 L
- Concealed cistern is fully insulated against condensation
- Water supply connection possibility on the four positions
- Maintenance service work is possible without using any tools

Special feature

- Quiet mechanical fill valve
- Fill valve flow pressure 0,1-10 bar


Product contains

- Concealed cistern equipped with pre-installed stop valve top right
- Water supply connection G 1/2 with flexible hose
- PE-HD drain elbow Ø 90/90 mm with seal
- Eccentric PE-HD adapter Ø 90/110 mm with seal
- Instruction manual
- Complete installation and fixing material

Dimension of the product

• Depth 120 mm, width 475 mm, height 770 mm

- Packaging/Pallet: 1/24 pcs
- Warranty: more information in General terms and conditions









city Enthuse





Flourish

Wet wall installation element for floor standing WC pan

SKU CODE: 2010N-0023-30 **EAN CODE:** 3838912065889

Frameless Cistern SimplaFlo



Installation method

- Installation into solid walls
- Pre-wall installation

Properties

- Pre-assembled concealed cistern, with front mechanical actuation
- Installed factory pre-set dual flush valve, large flush 4 L, small flush 2 L
- Concealed cistern is fully insulated against condensation.
- Water supply connection possibility on the four positions
- Maintenance service work is possible without using any tools

Special feature

- Quiet mechanical fill valve
- Fill valve flow pressure 0.1-10 bar


Product contains

- Concealed cistern equipped with pre-installed stop valve top right
- Water supply connection G 1/2 with flexible hose
- Flush pipe L=300 mm
- Mounting brackets
- Instruction manual
- Complete installation and fixing material

Dimension of the product

• Depth 120 mm, width 474 mm, height 750 mm

- Packaging/Pallet: 1/36 pcs
- Warranty: more information in General terms and conditions









city Enthuse

Zeal





Verve

Flourish

Vivacity



Installation method

• For installation on concealed cisterns

Properties

- Flush plates are produced from:
- High quality plastic material
- Tempered glass
- Dual flush (large flush/small flush)
- For concealed cisterns SimplaFlo

Special feature

• Easy installation and service

Product contains

- Instruction manual
- Complete installation and fixing material

Dimension of the product

• Width 242 mm, height 174 mm

- Packaging/Pallet: 1/4 pcs
- Warranty: more information in General terms and conditions



Transparent plastic - White SKU: 2590X-0060-30



Transparent plastic - Black SKU: 2590X-0061-30




Black SKU: 2590X-0062-30



Glass white - Gold SKU: 2590X-0063-30



Glass black - Gold SKU: 2590X-0064-30





Enthuse



Installation method

• For installation on concealed cisterns

Properties

- Flush plates are produced from:
- High quality plastic material
- Tempered glass
- Dual flush (large flush/small flush)
- For concealed cisterns SimplaFlo

Special feature

• Easy installation and service


Product contains

- Instruction manual
- Complete installation and fixing material

Dimension of the product

• Width 242 mm, height 174 mm

- Packaging/Pallet: 1/4 pcs
- Warranty: more information in General terms and conditions





Transparent plastic - White SKU: 2590X-0065-30



Transparent plastic - Black SKU: 2590X-0066-30



Black SKU: 2590X-0067-30



Glass white - Gold SKU: 2590X-0068-30



Glass black - Gold SKU: 2590X-0069-30



Zeal



Installation method

For installation on concealed cisterns

Properties

- Flush plate is produced from high quality plastic material
- Dual flush (large flush/small flush)
- For concealed cisterns SimplaFlo

Special feature

• Easy installation and service


Product contains

- Instruction manual
- Complete installation and fixing material

Dimension of the product

• Width 243 mm, height 168 mm

- Packaging/Pallet: 1/4 pcs
- Warranty: more information in General terms and conditions





White -Silver metal buttons SKU: 2590X-0058-30



Verve



Installation method

• For installation on concealed cisterns

Properties

- Flush plates are produced from high quality plastic material
- Dual flush (large flush/small flush)
- For concealed cisterns SimplaFlo

Special feature

• Easy installation and service

Product contains


- Instruction manual
- Complete installation and fixing material

Dimension of the product

• Width 255 mm, height 170 mm

Additional information

- Packaging/Pallet: 1/4 pcs
- Warranty: more information in General terms and conditions





Bright chrome SKU: 2590X-0051-30 SKU: 2590X-0052-30




Matt chrome



Black



Gold SKU: 2590X-0053-30 SKU: 2590X-0054-30



Flourish



Installation method

• For installation on concealed cisterns

Properties

- Flush plates are produced from high quality plastic material
- Dual flush (large flush/small flush)
- For concealed cisterns SimplaFlo

Special feature

• Easy installation and service


Product contains

- Instruction manual
- Complete installation and fixing material

Dimension of the product

• Width 255 mm, height 170 mm

- Packaging/Pallet: 1/4 pcs
- Warranty: more information in General terms and conditions





Bright chrome SKU: 2590X-0010-30 SKU: 2590X-0055-30



Matt chrome



Black SKU: 2590X-0056-30 SKU: 2590X-0057-30





PrimaFlo – Simplify and economize







NOLONDE FUNCTIONS


1 ide el

Thin model, ideal for smaller bathroom environments

One flush possibility (mechanic)

Economic
features and
benefits option
offering value without
compromising the
quality

Various
product
executions
for different
construction
requirements



PrimaFlo provides simplicity and affordability without compromising on quality.

SKU CODE: 2022F-0003-30 **EAN CODE:** 8681282661046

WC Frame PrimaFlo



Installation method

- Installation in prefabricated walls or studded walls
- Pre-wall installation in dry walls
- Universal installation into solid walls

Properties

- Self-supporting, green powder coated frame, square profile 30x30 mm
- 400 kg load tested frame
- Enables installation of wall hung WC pans with dimension of 180 mm or 230 mm
- Wall brackets included
- Adjustable supporting feet (0-200 mm)
- Pre-assembled concealed cistern, with front mechanical actuation
- Installed factory pre-set dual flush valve, large flush 4 L, small flush 2 L
- Concealed cistern is fully insulated against condensation
- Water supply connection possibility on the three positions
- Maintenance service work is possible without using any tools

Special feature

- Quiet mechanical fill valve Fluidmaster 747 Series (Noise class 1 ISO 3822)
- Fill valve flow pressure 0,2-10 bar
- Depth adjustable drain elbow (+/-20 mm)


Product contains

- Concealed cistern is equipped with pre-installed stop valve top middle
- Water supply connection G 1/2 with flexible hose
- PE-HD drain elbow Ø 90/90 mm with seal
- Eccentric PE-HD adapter Ø 90/110 mm with seal
- Installation manual
- Complete installation and fixing material

Dimension of the product

• Depth 125 mm, width 500 mm, height 1180 mm

- Packaging/Pallet: 1/20 pcs
- Warranty: more information in General terms and conditions









Essence

Soul

Vitality

SKU CODE: 2022F-0018-30 **EAN CODE:** 8681282661459

WC Frame PrimaFlo Slim



Installation method

- Installation in prefabricated walls or studded walls
- Pre-wall installation in dry walls
- Universal installation into solid walls

Properties

- Self-supporting, green powder coated frame, square profile 30x30 mm
- Enables installation of wall hung WC pans with dimension of 180 mm or 230 mm
- Wall brackets included
- Adjustable supporting feet (0-200 mm)
- Pre-assembled concealed cistern, with front mechanical actuation
- Installed factory pre-set dual flush valve, large flush 4 L, small flush 2 L
- Concealed cistern is fully insulated against condensation
- Water supply connection possibility on the three positions
- Maintenance service work is possible without using any tools

Special feature

- Quiet mechanical fill valve Fluidmaster 747 Series (Noise class 1 ISO 3822)
- Fill valve flow pressure 0,2-10 bar
- Depth adjustable drain elbow (+/-20 mm)


Product contains

- Concealed cistern is equipped with pre-installed stop valve top middle
- Water supply connection G 1/2 with flexible hose
- PE-HD drain elbow Ø 90/90 mm with seal
- Eccentric PE-HD adapter Ø 90/110 mm with seal
- Installation manual
- Complete installation and fixing material

Dimension of the product

• Depth 90 mm, width 560 mm, height 1087 mm

- Packaging/Pallet: 1/15 pcs
- Warranty: more information in General terms and conditions









Essence

Soul

Vitality

SKU CODE: 2022H-0019-30 **EAN CODE:** 8681282661466

WC Half Frame PrimaFlo



Installation method

Installation on or in solid walls

Properties

- Galvanized metal element.
- Enables installation of wall hung WC pans with dimension of 180 mm or 230 mm
- Pre-assembled concealed cistern, with front mechanical actuation
- Installed factory pre-set dual flush valve, large flush 4 L, small flush 2 L
- Concealed cistern is fully insulated against condensation
- Water supply connection, top center
- Maintenance service work is possible without using any tools

Special feature

- Quiet mechanical fill valve Fluidmaster 747 Series (Noise class 1 ISO 3822)
- Fill valve flow pressure 0,2-10 bar

Product contains


- Concealed cistern is equipped with pre-installed stop valve top right
- Water supply connection G 1/2 with flexible hose
- PE-HD drain elbow Ø 90/90 mm with seal
- Eccentric PE-HD adapter Ø 90/110 mm with seal
- Installation manual
- Complete installation and fixing material

Dimension of the product

• Depth 85 mm, width 497 mm, height 794 mm

Additional information

- Packaging/Pallet: 1/24 pcs
- Warranty: more information in General terms and conditions





Essence





Soul

Vitality

Wet Wall Installation for floor standing WC pan

SKU CODE: 2022N-0020-30 **EAN CODE:** 8681282661473

Frameless Cistern PrimaFlo



Installation method

- Installation into solid walls
- Pre-wall installation

Properties

- Pre-assembled concealed cistern, with front mechanical actuation
- Installed factory pre-set dual flush valve, large flush 4 L, small flush 2 L
- Concealed cistern is fully insulated against condensation
- Water supply connection, top center
- Maintenance service work is possible without using any tools

Special feature

- Quiet mechanical fill valve Fluidmaster 747 Series (Noise class 1 ISO 3822)
- Fill valve flow pressure 0,2-10 bar


Product contains

- Concealed cistern is equipped with pre-installed stop valve top middle
- Water supply connection G 1/2 with flexible hose
- Flush pipe L=300 mm
- Masonry/plaster net
- Installation manual
- Complete installation and fixing material

Dimension of the product

• Depth 85 mm, width 497 mm, height 540 mm

- Packaging/Pallet: 1/30 pcs
- Warranty: more information in General terms and conditions









Essence

Soul

Vitality

VivaFlo - Budget-friendly brilliance



UNIQUE FUNCTIONS

Low model, fits in smaller bathroom spaces (even under windows)

features and benefits option offering value without compromising the quality

One flush possibility (mechanic)



VivaFlo delivers budget-friendly brilliance for those seeking affordability without sacrificing quality.

SKU CODE: 2026F-0004-30 **EAN CODE:** 8681282661053

WC Frame VivaFlo 83 cm Top/Front



Installation method

- Installation in prefabricated walls or studded walls
- Pre-wall installation in dry walls
- Universal installation into solid walls

Properties

- Self-supporting, green powder coated frame, square profile 40x40 mm
- 400 kg load tested frame,
- Enables installation of wall hung WC pans with dimension of 180 mm or 230 mm
- Wall brackets included
- Adjustable supporting feet (0-200 mm)
- Pre-assembled concealed cistern, with top or front mechanical actuation
- Installed factory pre-set dual flush valve, large flush 4 L, small flush 2 L
- Concealed cistern is fully insulated against condensation
- Water supply connection possibility on the two positions
- Maintenance service work is possible without using any tools

Special feature

- Quiet mechanical fill valve Fluidmaster 747 Series (Noise class 1 ISO 3822)
- Fill valve flow pressure 0,2-10 bar
- Depth adjustable drain elbow (+/-20 mm)

Product contains


- Concealed cistern is equipped with pre-installed stop valve left side
- Water supply connection G 1/2 with flexible hose
- PE-HD drain elbow Ø 90/90 mm with seal
- Eccentric PE-HD adapter Ø 90/110 mm with seal
- Installation manual
- Complete installation and fixing material

Dimension of the product

• Height 830 mm, width 430 mm, depth 150 mm

Additional information

- Packaging/Pallet: 1/24 pcs
- Warranty: more information in General terms and conditions





Essence





Soul

Vitality



Flush plate for concealed cistern actuation

Essence



Installation method

• For installation on concealed flushing cisterns

Properties

- Flush plates are produced from high quality plastic material
- Dual flush (large flush/small flush)
- For concealed cisterns PrimaFlo and VivaFlo

Special feature

• Easy installation and service

Product contains


- Instruction manual
- Complete installation and fixing material

Dimension of the product

• Width 250 mm, height 167 mm

Additional information

- Packaging/Pallet: 1/10 pcs
- Warranty: more information in General terms and conditions





Bright chrome SKU: 2590X-0008-30 SKU: 2590X-0042-30




Matt chrome



Black



Gold SKU: 2590X-0043-30 SKU: 2590X-0044-30



Flush plate for concealed cistern actuation

Soul



Installation method

• For installation on concealed cisterns

Properties

- Flush plates are produced from high quality plastic material
- Dual flush (large flush/small flush)
- For concealed cisterns PrimaFlo and VivaFlo

Special feature

• Easy installation and service

Product contains


- Instruction manual
- Complete installation and fixing material

Dimension of the product

• Width 247 mm, height 165 mm

Additional information

- Packaging/Pallet: 1/10 pcs
- Warranty: more information in General terms and conditions









Matt chrome SKU: 2590X-0009-30 SKU: 2590X-0045-30



Black SKU: 2590X-0046-30 SKU: 2590X-0047-30





Flush plate for concealed cistern actuation

Vitality



Installation method

• For installation on concealed cisterns

Properties

- Flush plates are produced from high quality plastic material
- Dual flush (large flush/small flush)
- For concealed cisterns PrimaFlo and VivaFlo

Special feature

• Easy installation and service

Product contains


- Instruction manual
- Complete installation and fixing material

Dimension of the product

• Width 247 mm, height 165 mm

Additional information

- Packaging/Pallet: 1/10 pcs
- Warranty: more information in General terms and conditions





Bright chrome SKU: 2590X-0048-30 SKU: 2590X-0049-30



Matt chrome




Black SKU: 2590X-0050-30









Fluidmaster d.o.o.

Industrijska cesta 2 SI-6230 Postojna Slovenia

T +386 (5) 728 37 00

F +386 (5) 728 38 11

@ sanitary.schwab@fluidmaster.com

Dubai Silicon Oasis IT Plaza, Office No 1108 P.O.Box: 342068 UAE



Our concealed cisterns and flush plates are backed by a dependable 10-year guarantee, ensuring reliable operation.



Original spare parts for our products are available for 25 years.



High capacity: correctly installed toilet bowl can easily carry a 400 kg load.



High endurance: endurance test of the flushing cistern is 200,000 cycles, alternating operation of large and small water flush (according to the requirements of the standards NF 076 and EN 14055).



Concealed cisterns and flush plates are equipped with dual flushing technique, thus contributing to a more responsible and eco-friendly use of potable water.



Well-insulated cisterns with exceptionally silent filling valves ensure remarkably noiseless operation.



We design our products for bathrooms and sanitary facilities in line with the latest trends. This includes mounting solutions that make maintenance easier and the use of eco-friendly materials.



Sanitary electronics provide the best answer to hygiene issues. Our no-contact flushing system features a highly sensitive sensor that detects hand or body movements, offering you an effective remedy.



Experience and knowledge collected through over 150-years of tradition in developing flushing technology solutions.

Note

